

JAPANESE JOURNAL OF BOTANY

Volume XI

Publication Committee

S. IKENO (*Chief Editor*)

K. KÔRIBA

K. SHIBATA

NATIONAL RESEARCH COUNCIL OF JAPAN

學術研究會議編輯

日本植物學輯報

原著及抄錄

昭和十六年 第十一卷 第四號

JAPANESE
JOURNAL OF BOTANY

Transactions and Abstracts

Volume XI
(1940-41)

TOKYO
1941

CONTENTS

TRANSACTIONS

	Page
INOUE, R.: On the branching of some araliaceous plants with special reference to the behaviour of the ramular trace bundles (With plate III and 15 text-figures)	193
IWATA, J.: Studies on chromosome structure III. The spiral structure of <i>Trillium</i> chromosomes in fixed material (With plate XII and 5 text-figures)	439
IWATA, J.: Studies on chromosome structure IV. Observation of pollen mother cells in <i>Lilium japonicum</i> THUNB. (With plate XIII and 24 text-figures)	451
KARASAWA, K.: Karyological studies in <i>Crocus</i> II (With 73 text-figures)	129
KIHARA, H. und MATSUMURA, S.: Weitere Untersuchungen über die pentaploiden <i>Triticum</i> -Bastarde XII. Schlussmitteilung, (Hierzu 3 Textabbildungen und 5 Tabellen)	27
KUNIEDA, H. and SUTO, S.: On the fertilization in <i>Sargassum Horneri</i> AG. (With plates I-II)	141
MATSUMURA, S.: Weitere Untersuchungen über die pentaploiden <i>Triticum</i> -Bastarde XI. (Hierzu 1 Textabbildung und 8 Tabellen)	17
MIKI, S.: On the change of flora in Eastern Asia since Tertiary Period (I). The clay or lignite beds flora in Japan with special reference to the <i>Pinus trifolia</i> beds in Central Hondo (With plates IV-VII and 21 text-figures)	237
MIKI, S.: Floral remains of the Conifer Age at Manzidani near Nisinomiya, Japan (Preliminary note) (With 3 text-figures) ..	377
MIWA, T.: Biochemische Studien über die Zellmembran von Braun- und Rotalgen (Mit 5 Textfiguren und 26 Tabellen) ..	41
MORINAGA, T.: Cytogenetical studies of <i>Oryza sativa</i> L. IV. The cytogenetics of F ₁ hybrid of <i>O. sativa</i> L. and <i>O. minuta</i> PRESL. (With 29 text-figures and 4 tables)	1
MORINAGA, T.: Cytogenetical studies on <i>Oryza sativa</i> L. V. The cytogenetics of F ₁ hybrid of <i>Oryza sativa</i> L. and <i>O. latifolia</i> DESV. (With 37 text-figures and 3 tables)	461
NAKAMURA, H.: Ueber die quantitative Beziehungen zwischen der Katalase im Chloroplasten und dem Chlorophyll, nebst einigen	

	Page
Bemerkungen über die Rolle der Katalase im Assimilationsvorgang (Mit 16 Tabellen)	221
NOGUTI, Y.: Investigations on the photosynthesis of leaves in rice plants (With 7 text-figures and 16 tables)	167
SUGAWARA, T.: Studies on the formation of ascorbic acid (vitamin C) in plants 3. Relation between the accumulation of ascorbic acid and the carbohydrate content in plants (With 4 text-figures and 10 tables)	147
SUGAWARA, T.: Studies on the formation of ascorbic acid (vitamin C) in plants. 4. Daily variation of ascorbic acid content and the concentration of carbohydrate in the leaves of plants (With 5 text-figures and 5 tables)	343
SUGAWARA, T.: Untersuchungen über den Ascorbinsäuregehalt verschiedener Apfelsorten (Mit 1 Textfigur und 4 Tabellen) ..	327
SUZUKI, H.: Influence of physical and chemical factors upon the formation of appressoria in the conidia of <i>Piricularia Oryzae</i> II. Influence of temperature (With plates IX-XI, 7 text-figures and 6 tables)	357
TANAKA, N.: Chromosome studies in Cyperaceae, XI. Meiosis in <i>Carex duvaliana</i> (With 1 photo. and 13 text-figures)	213
WATARI, S.: Studies on the fossil woods from the Tertiary of Japan I. Fossil woods from the River Mabetsi, Anatai Village, Ninohe District, Iwate Prefecture (With 7 figures and 3 photographs in the text)	385
WATARI, S.: Studies on the fossil woods from the Tertiary of Japan II. Fossil woods from the River Nesori, Namituti Village, and the River Hiranuka, Kozuya Village, Ninohe District, Iwate Prefecture (With 5 figures and 3 photographs in the text)	417
YAMANE, G.: Untersuchungen über die vertikalen phototropischen Bewegungen der Laubblätter von <i>Fatsia japonica</i> vom Standpunkt der Wuchsstofflehre (Hierzu Tafel VIII, 8 Textfiguren und 9 Tabellen)	305

ABSTRACTS

(Papers, of which the title only is cited, are marked with an *)

	Page	Entry
ABE, K.: Mitosen im Sporangium von <i>Laminaria japonica</i> ARESCH. ...	(1)	1
ABE, K.: Meiotische Teilung von <i>Dictyosiphon foeniculaceum</i>	(83)	273

	Page	Entry
ABE, S.: Ueber die physiologischen Untersuchungen der Sporenkeimung bei Myxomyceten. I. Einfluss des osmotischen Wertes des Mediums bei Sporenkeimung (Vorläufige Mitteilung)	(83)	274
ABE, S.: Über die physiologischen Untersuchungen der Sporenkeimung bei Myxomyceten II. Einfluss des pH-Wertes der Lösung auf die Sporenkeimung	(131)	430
AISIMA, T.: Studies on mitosis and meiosis in comparison. II. Chromosome structure in the spiral stage and anaphase in mitosis as revealed by means of a maceration method	(131)	431
AKAI, S.: On the pathological histology of hypertrophied leaves of <i>Camellia Sasanqua</i> caused by <i>Exobasidium Camelliae</i> var. <i>gracilis</i>	(1)	2
AKAI, S.: On the pathological anatomy of hypertrophied shoots of <i>Xolisma elliptica</i> caused by <i>Exobasidium Pieridis</i>	(1)	3
AKAI, S.: On the ash figures of leaves of the rice plant transplanted from different kinds of nursery-beds and their susceptibilities to the blast disease	(1)	4
AKAI, S.: On the pathological history of the deformed petioles and leaves of <i>Camellia japonica</i> caused by an undetermined species of <i>Exobasidium</i>	(83)	275
AKEMINE, T.: Abnormal meiosis in genus <i>Hosta</i> (A preliminary note).	(47)	147
AKEMINE, T.: Tetraploid PMCs of <i>Rhoeo</i> induced by low temperature treatment	(84)	276
AKIMOTO, S.: Physiological studies of the susceptibility of paddy rice to the blast disease (Preliminary note)	(2)	5
AKIMOTO, S. and TOGARI, Y.: Varietal differences in panicle development with reference to early or late transplanting	(2)	6
AKIYAMA, S.: On the systematic anatomy of the leaves of some Japanese <i>Carices</i> XXII-XXXIV	(2), (47), (84), (131) 7,	148, 277, 432
AKIYAMA, S.: Notes on the Japanese <i>Carices</i> (VI)-(VII)	(47)	149
AOKI, K.: Studies on a fungus parasitic on muscardine	(47)	150
ASAHINA, Y.: Mikrochemischer Nachweis der Flechtenstoffe X-XI. Mitteilung	(3), (48) 8,	151
ASAHINA, Y.: Japanische Arten der Cocciferae (<i>Cladonia-Cenomyce</i>) ..	(3)	9
ASAHINA, Y.: Lichenologische Notizen XII-XVI	(84), (132) 278,	433
ASAHINA, Y.: <i>Cladonia verticillata</i> HOFFM. und <i>Cladonia calycantha</i> (DEL.) NYL. aus Japan	(85)	279
ASAHINA, Y.: Chemismus der Cladonien unter besonderer Berücksichtigung der japanischen Arten	(85)	280
CROIZAT, L.: Notes on new and critical Far Eastern <i>Phyllanthus</i>	(85)	281
CROIZAT, L. and HARA, H.: Critical notes on some Formosan Euphorbiaceae	(48)	152
EMOTO, Y.: Studien über die Thermalflora von Japan (III). Thermale Bakterien und Algen aus den thermalen Quellen von Hakone	(86)	282
EMOTO, Y. and YONEDA, Y.: Bacteria and algae in the hot springs of Aso	(48)	153
EMOTO, Y. and YONEDA, Y.: Studies on the thermal flora of Japan VI. Bacteria and algae of the Ibusuki thermal springs	(86)	283
ENDÔ, S. (igeru): Studies on sclerotial diseases of the rice plant in China. I. Morphology and pathogenicity of <i>Sclerotium oryzae-sativae</i> SAWADA	(48)	154
ENDÔ, S. (yôzô): Ueber den enzymatischen Abbau der Alginsäure	(132)	434
ENDÔ, Y.: Researches on the mulberry virosis II	(4)	10

	Page	Entry
FUJITA, T.: Physiologische Untersuchungen über die Veränderung der Membranstoffe an den höheren Pflanzen mit besonderer Berücksichtigung der Verholzung II. Ueber die tägliche Veränderung des Zellulosegehaltes in den Blättern und die "Zellulosemethode", eine neue Methode als Indizium des Stoffgehaltes in den Pflanzen....	(86)	284
FUJITA, T.: Physiologische Untersuchungen über die Veränderung der Membranstoffe an den höheren Pflanzen mit besonderer Berücksichtigung der Verholzung III. Verbreitung der Membranstoffe und der Verhärtungsgrad in den Pflanzen	(87)	285
FUJITA, T.: Ueber die erfolgreiche Anwendung der Pulvermethode als Induzium für den Verhältnungsgrad der Trockensubstanz bei Pflanzen	(87)	286
FUKUSHI, T.: Further studies on the dwarf disease of rice plants	(88)	287
FURUSATO, K.: Polyploid plants produced by colchicine	(132)	435
GEN, S.: A comparative study of the influence of various light and soil moisture condition upon the germination of seeds and the growth of seedlings of <i>Pinus densiflora</i> and <i>Chaemacyparis obtusa</i>	(4)	11
GONDO, A. and TAKAHASHI, M.: Pollen studies of sugar-cane I. Pollen germination in culture media 1	(4)	12
HAGA, T.: A note on staminoidy in <i>Trillium amabile</i> MIYABE et TATEWAKI	(5)	13
HAGA, T.: Nucleolar chromosome in the genus <i>Paris</i>	(88)	288
HAGA, T.: A critique on the conception of the genom	(89)	289
HAGIWARA, T.: A gene "stiff" and the genes linked with it in <i>Pharbitis Nil</i>	(5)	14
HAGIWARA, T.: Two new genes of the yellow linkage group in <i>Pharbitis Nil</i>	(5)	15
HAGIWARA, T.: Genetic studies of the flower colours in the Japanese morning glory. X. Complementary genes R and A for the production of flower colours, with special reference to the polymeric constitution of A	(49)	155
HAGIWARA, T. and IIDA, H.: Species crosses between <i>Solanum integrifolium</i> POIR. and <i>S. Melongena</i> L. and abnormal individuals which have appeared in the F_2 generation	(5)	16
HAGIWARA, T. and NONOMURA, M.: Twin seedlings in the Japanese morning glory	(49)	156
*HAMADA, M.: Physiologisch-morphologische Studien über <i>Armillaria mellea</i> (VAHL.) QUÉL. mit besonderer Rücksicht auf die Oxalsäurebildung. Ein Nachtrag zur Mykorrhiza von <i>Galeola septentrionalis</i> REICHB. f.	(6)	17
HARA, H.: Saxifragaceae	(133)	436
HARA, H.: Observationes ad plantas Asiae Orientalis (XVII)-(XIX) ..	(133)	437
HANDA, T.: Anomalous secondary growth in the axis of <i>Lophopyxis pentaptera</i> (K. SCHUM.) ENGLER.....	(49)	157
HARADA, M.: Investigation on the development and the property of the wax and fat-like substances in the fruit of the <i>Rhus</i> plants found in Japan	(6)	18
HARADA, M.: Diagnostic study on the properties of the albumen crystals found in latex from the tissues of the <i>Rhus</i> plants found in Japan.	(89)	290
HARADA, M.: On the macroscopical and microchemical property of the latex exuded from the cross section of the <i>Rhus</i> plants found in Japan	(90)	291
HARADA, M.: Microchemical test of urusiol and similar substances.....	(133)	438

	Page	Entry
HARADA, M.: Quantitative investigations on the tissue of fruits of Japanese <i>Rhus</i> plants, with special reference to their wax content. (133)	439	
HATAKEYAMA, I.: Ueber die Temperaturmessungen mit Thermoelementen im Freien (6)	19	
HATTORI, S. und KINOSHITA, S.: Ueber Wirkstoffe, die von einem auf <i>Prunus</i> Hexenbesen erzeugenden <i>Taphrina cerasi</i> sezerniert werden (50)	158	
HATTORI, T. and TAMURA, T.: On the effect of electricity upon the growth of wood-destroying fungi (7)	20	
HATUSIMA, S.: A revision of the Japanese <i>Trachelospermum</i> (50)	159	
HATUSIMA, S.: Contributiones ad dendrogiam nipponiae australis (VI). (90)	292	
HAYASHI, K.: On the anthocyanin in the flowers of Japanese <i>Iris</i> (50)	160	
HEMMI, T.: Studies on the septorioses of plants VI. <i>Septoria Glycines</i> HEMMI causing the brown spot disease of soy bean. (50)	161	
HEMMI, T. and AKAI, S.: Pathological studies on <i>Polyporus rhodophaeus</i> LÉV. (8)	22	
HEMMI, T. and IMURA, J.: On the relation of air humidity to conidia formation in the rice blast fungus, <i>Piricularia Oryzae</i> , and the characteristics in the germination of conidia produced by the strains showing different pathogenicity (8)	21	
HEMMI, T. and NAKANISHI, S.: Studies on the <i>Phytophthora</i> rot of egg plants on the market (8)	23	
HIDAKA, Z.: Notes on a new spotted bamboo "Yōrakumontiku" caused by <i>Lembosia tikusensis</i> (90)	293	
HINO, I. and ENDŌ, S.: <i>Trichoderma</i> parasitic on sclerotial fungi. (90)	294	
HIRAMATU, K.: Respiration of leaves after sunset (8)	24	
HIRANO, S.: Studies on the parasitism of the rust of <i>Acacia confusa</i> MERRILL, <i>Maravalia hyalospora</i> (SAW.) DIET. III. A cytological study of different regions of phyllodes with varying degrees of resistance to urediospores-infection (91)	295	
HIRATSUKA, N.: Miscellaneous notes on the East Asiatic Uredinales with special reference to the Japanese species (V)-(VIII) (9), (91) 25, 298		
HIRATSUKA, N.: Materials for a rust flora of Riukiu Islands I-II (51), (91) 162, 297		
HIRATSUKA, N.: Additional notes on Uredinales of Shikoku (51)	163	
HIRATSUKA, N.: Materials for a rust flora of Kiushu (91)	296	
HIRATSUKA, N.: Uredinales collected in Korea, IV (91)	299	
HIRATSUKA, N.: A new species of <i>Pucciniastrum</i> on <i>Acer rufinerve</i> (91)	300	
HIRATSUKA, N.: Studies on <i>Uromyces lespedezae-procumbentis</i> in Japan (92)	301	
HIRATSUKA, N.: Materials for a rust flora of Manchoukuo. (134)	440	
HIRATSUKA, N.: Materials for a rust flora of Formosa (134)	441	
HIRAYAMA, S.: Considerations on the transport of mosaic disease of tobacco (9)	26	
HIRAYOSHI, I.: Variations of the flowering time in some varieties of the wild barnyard grasses (<i>Echinochloa Crusta-galli</i> BEAUV.) distributed in different latitudes (10)	27	
HOGETSU, K.: Untersuchungen über die Lage des Kompensationspunktes der Wasserpflanzen in Kizakisee (10)	28	
HOGETSU, K.: Pflanzenoekologische Untersuchungen über die höheren Wasserpflanzen des Suwasees, besonders im Herbst (134)	442	
HONDA, M.: Nuntia ad florum japoniae XXXIX-XLIV (10), (51), (92), (134) 29, 164, 302, 443		
HORIKAWA, Y.: Contributions to the bryological flora of Eastern Asia (VII) (51)	166	

	Page	Entry
HORIKAWA, Y.: Acidity of the substrata of Japanese Bryophytes	(92)	303
HORIKAWA, Y. und IWAMASA, S.: Vorkommen des <i>Tetradontium</i> <i>Brownianum</i> (DICKSON) SCHWAEGRICHEN in Japan als neuem Fundgebiet	(51)	165
HOSOKAWA, T.: Materials of the botanical research towards the flora of Micronesia (XIX)	(92)	304
HOTTA, T.: Contributions to the knowledge of the systematics of <i>Morus</i> in Japan XV-XVII. <i>Morus</i> in cultivation X-XII	(10)	30
HURUSAWA, I.: Species generis <i>Euphorbiae Imperii Japonici</i> (I)-(IV). (52), (92), 167, 305		
HURUSAWA, I.: Eine Variation in der Blattstruktur von <i>Pinus densiflora</i> SIEB. et ZUCC.	(135)	444
HUTUKAITI, S.: Tetraploid Asiatic cotton plants induced by the colchicine treatment	(52)	168
IKATA, S.: Characteristics and control of <i>Venturia</i> disease of Japanese pears	(52)	169
IKATA, S. and YOSHIDA, M.: Studies on the disease of <i>Juncus effusus</i> var. <i>decipiens</i> BUCH. I. Leaf-rot disease	(52)	170
IKATA, S. and YOSHIDA, M.: A new anthracnose of jute-plant	(92)	306
IMAI, S.: <i>Studia agaricarum japonicarum</i> I.	(11)	31
IMAI, S.: Second note on the Tuberales of Japan	(53)	171
IMAZEKI, R.: Observations on Japanese fungi (II). Polyporaceae (III). Some hard and perennial stercoms in Japan	(11)	32
IMAZEKI, R.: Observations on the Japanese fungi (V)	(53)	172
IMAZEKI, R.: Studies on the genus <i>Hymenochaete</i> of Japan	(93)	307
IMAZEKI, R.: Materials of Micronesian higher fungi	(135)	445
IMURA, J.: On the influence of sunlight on the incubation period and the development of blast disease and the <i>Helminthosporium</i> disease of the rice plant	(53)	173
INDOH, H.: Studies on Japanese aquatic fungi II. The Blastocladiaceae.	(53)	174
INO, S.: On the germination of spores in <i>Rhodoglossa pulchrum</i> (KÜTZ.) SETCH. et GARDN. and <i>Iridophycus cornucopiae</i> (POST. et RUPR.) SETCH. et GARDN.	(135)	446
INO, S.: Embryological studies in <i>Eusargassum</i> (Preliminary report).	(136)	447
INO, S.: On the germination of spores in the Nemalionales	(136)	448
INOUE, T. and ARIMA, S.: Meiosis in <i>Thea sinensis</i> I. Caucasus tea	(93)	308
*INOUE, R.: On the branching of some araliaceous plants with special reference to the behaviour of the ramular trace bundles	(93)	309
INUMARU, S.: <i>Studia lichenum japoniae</i> I-II	(11), (54)	33, 175
INUMARU, S.: Lichen novus hawaiiensis fauriceanus	(11)	34
INUMARU, S.: <i>Nephromae novae</i> in Japonia	(136)	449
INUMARU, S.: Fragmenta lichenologica IV.	(136)	450
ISHIKAWA, J.: Studies on partially sterile rice plant. I.	(54)	176
ITÔ, H.: Polypodiaceae-Dryopteridoideae I.	(136)	451
ITO, S. and IMAI, S.: Fungi of the Bonin Islands IV-V	(54)	177
IWAMASA, S.: On the species of <i>Neckera</i> in Japan	(55)	178
IWATA, E.: Studies on plant communities on barefaced cliffs	(11)	35
IWATA, E.: Ecological studies of the peat bog (2). The peat bog of Digokunuma	(93)	310
IWATA, E.: Ecological studies of peat bog (3). The peat bog of Suiren- numa	(137)	452

	Page	Entry
IWATA, J.: Studies on chromosome structure I. Spiral structure of chromosomes in <i>Trillium Smallii</i> MAX.	(11)	36
IWATA, J.: Studies on chromosome structure II. The attachment chromosomes	(11)	37
IWATA, Y.: Studies on the penetration of <i>Peronospora Aparines</i> (DE BARY) GÄUM. and the reaction of the epidermal cell	(93)	311
JIMBO, T.: Beobachtungen einiger thiotropher Seen Japans mit besonderer Berücksichtigung der Schwefelbakterien II	(55)	179
KAGAWA, F.: The effect of abnormal environment on the pollen formation in certain species- and genus-hybrids	(55)	180
KAGAWA, F.: High temperature treatment in <i>Triticum</i> and the character and the chromosomes in the next generation	(94)	312
KAGAWA, T.: Vegetation in the area around "Sin'yu" hot springs on Mt. Hakkôda	(94)	313
KAGAWA, T.: Synecological studies of the river-bank forests	(137)	453
KAKIZAKI, Y. and SUZUKI, S.: Earliness as influenced by seasonal growth habit in wheat hybrids	(55)	181
KAMEI, S.: Studies on the cultural experiments on the fern rusts of <i>Abies</i> in Japan I-II	(95)	314
KAMIMURA, M.: Contributions to the bryological flora of the Island Kaibatô. (Todomosiri)	(12)	38
KANDA, T.: Studies on the genus <i>Valonia</i> from Palao	(95)	315
KANDA, T.: On the gametophytes of some Japanese species of <i>Laminariales</i> III-IV	(138)	454
KANEHIRA, R.: A new <i>Pandanus</i> from Sumatra	(56)	182
KANEHIRA, R.: A summary of our knowledge of Papuan <i>Pandanus</i>	(96)	316
KANEHIRA, R.: On "Ais", an oil-yielding plant from Micronesia.....	(96)	317
KANEHIRA, R.: On <i>Eurycorymbus Cavaleriei</i> (HANDEL-MAZZETTI) REHD.	(96)	318
KANEHIRA, R.: The KANEHIRA-HATUSIMA collection of New Guinea plants I	(138)	455
*KARASAWA, K.: Karyological studies in <i>Crocus</i> II	(56)	183
KASAI, Y.: On the flora and fauna of the River Tamagawa, Akita Prefecture	(56)	184
KAWAMURA, E.: Studies on <i>Gymnosporangium Haraeae</i> SYD. Its heterothallism	(96)	319
KAWAMURA, E.: Studies on the sex of hymenomycetous fungi	(138)	456
KAWAMURA, S.: Observations on the growth of the stem and development of the reticulated mantle of <i>Dictyophora indusiata</i> (PERS.) FISCHER	(12)	39
KIHARA, H.: Genetische Studien an gestreiften Sippen von <i>Celosia cristata</i>	(57)	185
KIHARA, H.: Formation of haploids by means of delayed pollination in <i>Triticum monococcum</i>	(57)	186
*KIHARA, H. und MATSUMURA, S.: Weitere Untersuchungen über die pentaploiden <i>Triticum</i> -Bastarde XII. Schlussmitteilung	(58)	187
KIHARA, H. und MATUMOTO, K.: Morphologie der Artbastarden bei der Gattung <i>Aegilops</i> . (Vorl. Mitt.)	(12)	40
KIMURA, A.: Symbolae iteologicae VIII	(96)	320
KIMURA, Y.: La multiplication végétative d' <i>Hypericum laxum</i>	(13)	41
KIMURA, Y.: Species and varieties of <i>Hovemia</i>	(13)	42
KIMURA, Y.: <i>Hypericum</i> of Formosa	(58)	188

	Page	Entry
KINOSHITA, S.: Ueber den Einfluss des elektrischen Stromes auf die Rhythmik der Protoplasmaströmung bei den Myxomyceten-plasmodien	(58)	189
KINOSHITA, S.: Ein Apparat zur Messung des bioelektrischen Potentials	(59)	190
KINOSHITA, S.: Über den Einfluss der Verwundung auf die Potentialverteilung beim Hypokotyl von <i>Helianthus annuus</i>	(59)	191
KIRYŪ, T.: On a method of varietal resistance trials of sugar cane to red rot	(97)	321
KISHIMOTO, E.: Chromosomenzahl einiger <i>Gerbera</i> -arten	(13)	43
KITAGAWA, M.: Discussion on the genus <i>Pycnostelma</i> BUNGE	(59)	192
KITAGAWA, M.: Plantae novae ex Manshuria nec non China Boreale... ..	(139)	457
KITAMURA, S.: Notulae ad composites manshuricas	(13)	44
KITAMURA, S.: An enumeration of Compositae of Formosa IV-V..(59), (139) 193, 459		
KITAMURA, S.: Expositiones plantarum novarum Orientali-Asiaticarum	(97)	322
KITAMURA, S.: <i>Melampyra japonica</i>	(139)	458
KOBAYASI, Y.: On the <i>Dacryomyces</i> group. (Fungorum ordinis tremellalium studia monographica III)	(13)	45
KOBAYASI, Y.: On the genera <i>Femsjonia</i> , <i>Guepinia</i> and <i>Calocera</i> from Japan. (Fungorum ordinis tremellalium studia monographica IV) ..	(14)	46
KOBAYASI, Y.: On the abortive canker-like body on birch from Japan.. ..	(97)	323
KOBAYASI, Y.: Hymenogastrineae et Phallineae	(140)	460
KOBAYASI, Y.: The genus <i>Cordyceps</i> and its allies	(140)	461
KOIDZUMI, G.: Contributiones ad cognitionem florum Asiae-Orientalis.. ..	(14), (60), (141)	47, 195, 462
KOIDZUMI, G.: Shiobara Pleistocene fossil flora	(59)	194
KOIDZUMI, G.: Bambusaceae of Sachalien	(97)	324
KOIZUMI, T. and KAKUKAWA, T.: On the vitamin C (ascorbic acid) content of herbaceous plants and marine algae, considering factors influencing it	(60)	196
KOJIMA, H.: On the problem of influence of oxygen surrounding the aerial part of the plant upon the elongation of the root and the cell-division of the root-tip	(14)	48
KOJIMA, H.: Ueber den Einfluss von Heteroauxin auf das Längenwachstum und die Zellteilung in der Wurzel von <i>Pisum sativum</i>	(98)	325
KONDŌ, M. und KASAHARA, Y.: Ueber die Sortenunterscheidung durch die Phenolfärbung bei Weizen und Gerste	(14)	49
KONDŌ, M. and KASAHARA, Y.: Some examples of the years storage of seeds	(60)	197
KONDŌ, M. and KASAHARA, Y.: On the discrimination of rice varieties by means of colouring reaction of hulled kernels to phenol-fuchsin. ..	(98)	326
KONDŌ, M. and KASAHARA, Y.: Studies on the germination of seeds of weeds, with special reference to the influence of light and the change of temperature on the germination	(141)	463
KONDŌ, M., TAKAHASHI, R. and TERASAKA, Y.: On the storage of seeds of forest trees I.	(141)	464
KONDO, N.: Chromosome doubling in <i>Secale</i> , <i>Haynaldia</i> and <i>Aegilops</i> by colchicine treatment.—Colchicine treatment of <i>Secale</i> , <i>Haynaldia</i> , <i>Aegilops</i>	(142)	465
KŌKETSU, R. und ŌTUKI, F.: Veränderung der hygroskopischen Wasseraufnahmefähigkeit von Gewebepulver in Beziehung zur Verschiedenheit des spezifischen Pulvergewichts von Pflanzen	(15)	50

	Page	Entry
KÔKETSU, R., SIOMI, T. und ARIGA, Y.: Nährlösungsverdampfungs- und Rückstandsveraschungsverfahren als Versuchsmethode in Gebiet des Aschenstoffwechsels der Pflanzenphysiologie	(98)	327
KÔKETSU, R., SIOMI, T. und ARIGA, Y.: Beziehungen zwischen der Transpiration, Mineralstoffaufnahme und Aschenanhäufung der Pflanzen I.	(142)	466
KOSHIMIZU, T.: Various forms of the seed of <i>Ginkgo biloba</i>	(99)	328
KOSHIMIZU, T.: Viviparous fruit of <i>Ardisia japonica</i> BLUME	(99)	329
KUBO, H.: Ueber das Hämoprotein aus den Wurzelknöllchen von Leguminosen (Vorläufige Mitteilung)	(16)	51
KUMAZAWA, M.: On the vascular course in the male inflorescence of <i>Zea Mays</i> . Vascular anatomy in maize. I.	(16)	52
KUMAZAWA, M.: Further studies on the vascular course in the male inflorescence of <i>Zea Mays</i> . Vascular anatomy in maize. II.	(99)	330
KUMAZAWA, M.: On the vascular course of the leaf trace in <i>Zea Mays</i> . Vascular anatomy in maize. III.	(99)	331
*KUNIEDA, H. and SUTO, S.: On the fertilization in <i>Sargassum Horneri</i> Ag.	(60)	198
KURITA, H.: Chromosomen von <i>Iris Rossii</i> BAKER	(100)	332
KURITA, M.: Geschlechtschromosomen bei <i>Trichosanthes multiloba</i> Miq. und Chromosomenzahlen bei einigen anderen Arten von Cucurbitaceen	(16)	53
KUSUNOKI, S.: Neue Beobachtungen über Protoplasmaströmung bei <i>Hydrilla verticillata</i>	(60)	199
KUWADA, Y.: Studies of mitosis and meiosis in comparison. I. A. morphological analysis of meiosis	(100)	333
KUWADA, Y. and NAKAMURA, T.: Behaviour of chromonemata in mitosis. On the configurations assumed by the spiralized chromonemata..	(61)	200
LIU, K.: Studies on a <i>Fusarium</i> disease of soy bean pods	(61)	201
MAEKAWA, F.: The genus <i>Hosta</i>	(100)	334
MAJIMA, I.: Observations on some characters of tetraploid rice plants..	(101)	335
MASAMUNE, G.: Miscellaneous notes on the flora of the Eastern Asia X-XIV	(17)	54
MATSUMOTO, T.: Phage-produced resistant strains of <i>Bacillus aroideae</i> . I. Resistant strains which appeared in culture solutions	(17)	55
MATSUMOTO, T.: Phage-produced resistant strains of <i>Bacillus aroideae</i> . II. The behavior of the organisms in phage-inoculated sand-cultures	(101)	336
MATSUMOTO, T.: Phage-produced resistance strains of <i>Bacillus aroideae</i> . III. Culture in soil and host plants	(143)	467
MATSUMOTO, T.: Need of reinvestigation on the use of <i>Trichoderma</i> as a means of biological control	(17)	56
MATSUMOTO, T.: Serological studies on the distribution and concentration of tobacco mosaic virus in host plants.—I. Measurement of virus after 2-4 days.—II. Measurement of virus 5-14 days after inoculation	(143)	468
MATSUMOTO, T. and HIRANE, S.: On the causal organism of a bacterial soft rot of poppy in Formosa	(144)	469
MATSUMOTO, T. and TATEOKA, R.: Virus disease of tobacco in Formosa..	(101)	337
*MATSUMURA, S.: Weitere Untersuchungen über die pentaploiden <i>Triticum</i> -Bastarde X. Kreuzungsversuch mit gemischtem Pollen..	(17)	57
MATSUMURA, S.: Weitere Untersuchungen über die pentaploiden <i>Triticum</i> -Bastarde XI	(61)	202

	Page	Entry
MATSUMURA, S.: Induzierte Haploidie und Autotetraploidie bei <i>Aegilops ovata</i> L.	(101)	338
MATSUURA, H.: Problem of the secondary association of chromosomes.	(18)	58
MATSUURA, H.: Chromosome studies on <i>Trillium kamtschaticum</i> PALL. VII. The mechanism of crossing over	(61)	203
MATSUURA, H.: Chromosome studies on <i>Trillium kamtschaticum</i> PALL. XIII. The structure and behaviour of the kinetochores	(144)	470
MATSUURA, H. and HAGA, T.: Chromosome studies on <i>Trillium kamtschaticum</i> PALL. VIII. On the mitosis-meiosis relationship.....	(62)	204
MIDUNO, T.: Chromosomenstudien an Orchidazeen. III. Vorkommen von haploiden Pflanzen bei <i>Bletilla striata</i> REICHB. f. var. <i>gebina</i> REICHB. f.	(102)	339
MIDUNO, T.: Chromosomenstudien an Orchidazeen. IV. Chromosomenzahlen einiger Arten und Bastarde bei Orchideen	(102)	340
MIGO, H.: <i>Nanocnide</i> of China	(102)	341
*MIKI, S.: On the change of flora in Eastern Asia since Tertiary Period (1). The clay or lignite beds flora in Japan with special reference to the <i>Pinus trifolia</i> beds in Central Hondo	(144)	471
*MIKI, S.: Floral remains of the Conifer Age at Manzidani near Nisino-miya, Japan (Preliminary note)	(144)	472
*MIWA, T.: Biochemische Studien über die Zellmembran von Braun- und Rotalgen	(62)	205
MIYABE, K.: On <i>Laminaria japonica</i> ARESCH. and <i>Laminaria angustata</i> KJELLM.	(62)	206
MIYABE, K. and TATEWAKI, M.: Contributions to the flora of Northern Japan XII-XIV	(18), (63), (144)	59, 207, 473
MOMOSE, S.: Studies on the gametophyte of ferns (XI)-(XII). On the prothallium of athyroid ferns	(18)	60
MOMOSE, S.: Studies on the gametophyte of ferns (XIII)-(XV)	(63)	208
MOMOSE, S.: Studies on the gametophyte of ferns (XVI)-(XVII). On the prothallium of thelypteroid ferns.-(XVIII)-(XIX).-(XX). On the prothallium of <i>Asplenium</i> and allied genera	(145)	474
MORI, K.: <i>Osmanthus</i> of Taiwan	(18)	61
MORI, R.: Soil respiration of the <i>Sasa</i> community	(18)	62
MORINAGA, T.: The sterile mutant found in a certain strain of rape... ..	(63)	209
*MORINAGA, T.: Cytogenetical studies of <i>Oryza sativa</i> L. IV. The cytogenetics of F_1 hybrids of <i>O. sativa</i> L. and <i>O. minuta</i> PRESL. ...	(63)	210
MORINAGA, T., NAKAJIMA, K. and YUMEN, T.: The size and form of rice caryopses and their mode of inheritance (Preliminary note).. ..	(19)	63
MORINAGA, T. and TAZIRI, T.: The inheritance of polykaryoptic rice, with special reference to the germination structure of the lemma... ..	(145)	475
MORIOKA, H.: Charophyta japonica (I)-(IV)	(145)	476
MORITA, K.: On the chlorosis of plants and its curing	(19)	64
MORITA, K.: Influence of Fe and Mn on the formation of sugars and starch	(20)	65
MORIYA, A.: List of chromosome numbers in the genus <i>Saccharum</i> and related genera	(63)	211
MORIYA, A.: Contributions to the study of genus <i>Saccharum</i> I. Observations on the F_1 progeny of sugar cane— <i>Sorghum</i> hybrids.....	(102)	342
MORIYA, A.: Chromosome number of the wild sugar cane (<i>Saccharum spontaneum</i> L.) in Taiwan (Preliminary note)	(103)	343
MORIYA, A.: Preliminary note on the chromosome number of sugar cane varieties F 108 and some others	(146)	477

	Page	Entry
NAGAMATU, T.: Cyto-ecological studies on rice, <i>Oryza sativa</i> L.	(103)	344
NAGAO, M.: Genetisch-physiologische Studien über die Gattung <i>Linum</i> II. Verwandtschaftliche Beziehung einiger kultivierten Leinarten auf Grund ihrer Chromosomenzahl	(103)	345
NAGAO, M.: The number of chromosomes in some species and varieties of <i>Mentha</i>	(146)	478
NAGAO, M.: Cytogenetics in the genus <i>Linum</i>	(146)	479
NAGAO, M. and SAKAI, K.: Association of chromosomes in <i>Chelidonium</i>	(104)	346
NAITO, N.: Studies on septorioses of plants VII. New or noteworthy species of <i>Septoria</i> found in Japan	(63)	212
NAITO, N.: Notes on some new or noteworthy fungi of Japan	(63)	213
NAKAI, T.: Notulae ad plantas Asiae Orientalis (VIII)-(XVI)	(20), (64), (146), (147)	66, 215, 481, 482
NAKAI, T.: White-flowered varieties of <i>Dasiphora fruticosa</i> native in Japan and China	(20)	67
NAKAI, T.: Iconographia plantarum Asiae Orientalis Vol. III, Nos. 2-4, Vol. IV, No. 1	(21), (64), (104), (146)	68, 214, 347, 480
NAKAI, T.: A commentary on the Japanese <i>Euchresta</i>	(64)	216
NAKAI, T.: A new classification of the Sinico-Japanese genera and species which belong to the tribe Camellieae (I)-(II)	(104)	348
NAKAI, T.: <i>Eriocapitella</i> , a new genus proposed for <i>Anemone vitifolia</i> group	(147)	483
NAKAI, T.: On <i>Glyceria spiculosa</i> ROSCHEWITZ, <i>G. orientalis</i> KOMAROV, <i>G. debilis</i> KUDO and <i>G. lithuanica</i> LINDMAN	(147)	484
NAKAI, T.: <i>Carex viridissima</i> has still its specific basis despite of Dr. OHWI's reduction to <i>Carex Matsumurae</i>	(147)	485
NAKAJIMA, Y.: Ueber die Keimung und Entwicklung von für lange Zeit aufbewahrten Samen	(104)	349
NAKAJIMA, Y.: On the utility of the stored <i>Lilium</i> pollen and abnormal seed in crosses of <i>Lilium speciosum</i> × <i>L. auratum</i> , <i>L. speciosum</i> × <i>L.</i> <i>Makinoi</i> .—Hybrids of <i>Lilium speciosum</i> and <i>L. auratum</i> with supplementary notes on the preservation of pollen and the culture method of abnormal seeds	(105)	350
NAKAMURA, H.: Weitere Untersuchungen über den Wasserstoffumsatz bei den Purpurbakterien, nebst einer Bemerkung über die gegen- seitige Beziehung zwischen Thio- und Athiorhodaceen	(21)	69
NAKAMURA, H.: Hydroperoxyd und bakterielles Leuchten	(21)	70
NAKAMURA, H.: Ueber die Photosynthese der Grünbakterien, <i>Chloro-</i> <i>bium limicola</i> NADSON	(64)	217
NAKAMURA, H.: Ueber die Bedeutung der Hydrogenation bei Biolumi- nescenz	(106)	351
*NAKAMURA, H.: Ueber die quantitativen Beziehungen zwischen der Katalase im Chloroplasten und dem Chlorophyll, nebst einigen Bemerkungen über die Rolle der Katalase im Assimilationsvorgang.	(106)	352
NAKAMURA, Y.: The species of <i>Rhodochorton</i> from Japan I	(148)	486
NAKANO, H.: Ueber die Dispersion der Wiesenpflanzen	(148)	487
NAKATA, K. and TAKIMOTO, S.: One instance of tomato ring mosaic (?) on tobacco	(106)	353
NAKATA, K. and TAKIMOTO, S.: A ring strain of tobacco common mosaic found on the pepper	(106)	354
NAKATA, K. and TAKIMOTO, S.: Studies on the "yellow tobacco mosaic" or "aucuba mosaic" of tomato	(107)	355

	Page	Entry
NAKATA, K. and TAKIMOTO, S.: A white strain of tobacco, common mosaic	(107)	356
NAKATOMI, S.: Induced polyploidy in Asiatic varieties of cotton plant by colchicine treatment	(64)	218
NAKAYAMA, K.: The relation of chlorophyll content to the anatomical structure of leaves in three dwarf types of rice plant	(21)	71
NAKAYAMA, K.: Comparative studies on the panicle development in normal and dwarf types of rice plant	(107)	357
NAKAYAMA, T.: A study on the infection of cotton seedlings by <i>Rhizoctonia solani</i>	(107)	358
NEGORO, K.: The diatom-flora of the Nasu hot springs. (Preliminary report)	(65)	219
NEGORO, K.: Some diatoms from Itibisinaiko, a mineralogenous acidotrophic lake in Kunasirizima of the Southern Kurile Islands....	(65)	220
NISHINA, Y., SINOTÔ, Y., and SATÔ, D.: Effects of fast neutrons upon plants, II. Abnormal behavior of mitosis in <i>Vicia Faba</i>	(65)	221
NISHINA, Y., SINOTÔ, Y. and SATÔ, D.: Effects of fast neutrons upon plants, III. Cytological observations on the abnormal forms of <i>Fagopyrum</i> and <i>Cannabis</i>	(66)	222
NISHINA, Y., SINOTÔ, Y. and SATÔ, D.: Effects of fast neutrons upon plants, IV. Cytoplasmic changes in <i>Spirogyra</i>	(107)	359
NISHIYAMA, I.: Cytogenetical studies in <i>Avena</i> , II. On the progenies of pentaploid <i>Avena</i> hybrids	(22)	72
NISHIYAMA, I.: Cytogenetical studies in <i>Avena</i> . III. Experimentally produced eu- and hyperhexaploid aberrants in oats	(22)	73
NISHIYAMA, I.: On the evolution of some grain characters in <i>Avena</i> ..	(22)	74
NISHIYAMA, I.: Studies on artificial polyploid plants III. Meiosis of tetraploid hemp	(66)	223
NISHIYAMA, I.: Studies on artificial polyploid plants IV. Comparative studies on 1x-4x-plants in <i>Capsicum annuum</i> L.	(66)	224
NISHIYAMA, I., FURUSATO, K., MOTIZUKI, A. and YASUMOTO, T.: Studies on artificial polyploid plants II. The effect of colchicine on germinating seeds	(23)	75
NISIKADO, Y., HIRATA, K. and KIMURA, K.: Eine <i>Phytophthorakrankheit</i> von Feigen	(23)	76
NISIKADO, Y. und KIMURA, K.: Zur Kenntnis der pathologischen Anatomie der durch den Bakanaekrankheitspilz infizierten Reishalmen.	(23)	77
NISIKADO, Y., KIMURA, K. and MIYAWAKI, Y.: Ueber einen Pilz, welcher die Braunfleckenkrankheit von <i>Evonymus</i> verursacht	(24)	78
NISIKADO, Y., KIMURA, K., und MIYAWAKI, Y.: Ueber einen Pilz, welcher an <i>Chaenomeles extus-coccinae</i> CARR. eine Braunfleckenkrankheit verursacht	(24)	79
NISIKADO, Y. und KIMURA, K.: Studien über die Eigenschaften der Sporen und Myzelien von <i>Tricholoma conglobatum</i> (VITT.) SACC. als die Grundlage für künstliche Vermehrung	(24)	80
NISIKADO, Y., KIMURA, K. and MIYAWAKI, Y.: On two <i>Alternaria</i> species injurious to cotton fibres in balls	(108)	360
NISIKADO, Y., KIMURA, K., and MIYAWAKI, Y.: Relation between the growth of the mycelium of <i>Cortinellus Shiitake</i> in pure culture and the kind of trees. I. Experimental results concerning the sawdust used as the culture base	(148)	488
NISIKADO, Y., KIMURA, K., and MIYAWAKI, Y.: Fundamental studies on the artificial propagation of <i>Armillaria Matsutake</i> . II. On the		

	Page	Entry
pure culture and isolation of the mycelia of <i>Armillaria Matsutake</i> . —Studies on the principle of growing Japanese <i>Matutake</i> artificially. II. On the isolation of the mycelium of pure culture..	(149)	489
NISKADO, Y. and MIYAWAKI, Y.: Fortgesetzte Mitteilung über die Pilze, welche <i>Chaenomeles ectus-coccinae</i> CARR. infizieren	(149)	490
NISIZAWA, K.: Physiological studies on the laminarin and mannitol of brown algae II. The seasonal variation of their content in <i>Eisenia</i> <i>bicyclis</i> .—III. Variation of their content in <i>Eisenia bicyclis</i> through various stages of growth	(108)	361
NOGUCHI, A.: Notes on the Japanese Musci (II), (IV)	(24), (149)	81, 491
NOGUCHI, T.: On the cytological studies in <i>Reineckia carnea</i> KUNTH., II. On the behaviour of nucleolus in the meiosis of pollen mother cell	(25)	82
NOGUCHI, T.: On the cytological studies in <i>Reineckia carnea</i> III. Macrosporogenesis and the development of the embryo-sac	(108)	362
NOGUCHI, T.: Some experiments on the FEULGEN's nuclear reaction....	(25)	83
*NOGUTI, Y.: Investigations on the photosynthesis of leaves in rice plants	(109)	363
*NOGUTI, Y., OKA, H. and OTUKA, T.: Studies on the polyploidy in <i>Nicotiana</i> induced by the treatment with colchicine II. Growth rate and chemical analysis of diploid and its autotetraploid in <i>Nicotiana rustica</i> and <i>Nicotiana Tabacum</i>	(25)	84
NOSE, H.: On the injury of rice seedlings by sulfate-reducing bacteria in common paddy field	(109)	364
ODASHIMA, K. and TANAKA, T.: Supplement to the census of Hainan plants	(109)	365
OGAWA, T.: Preliminary report on the leaf-spot disease of <i>Camellia</i> <i>japonica</i> caused by <i>Graphiothecium Kusanoi</i> sp. nov.	(109)	366
OGURA, Y. (asuyuki): Ueber eine anoxytrope Gykosedehydase aus <i>Aspergillus oryzae</i> . Untersuchungen über die Dehydase von Schimmelpilze I	(25)	85
OGURA, Y. (udzuru): Critical notes on the anatomical structure of <i>Acrostichum</i>	(26)	86
OGURA, Y. (udzuru): Measurement of the size of bast-fibres (I)....	(66)	225
OGURA, Y. (udzuru): New examples of aerial roots in tropical swamp plants	(109)	367
OGURA, Y. (udzuru): On the type of abnormal roots in mangrove and swamp plants	(110)	368
OHWI, J.: Gramina japonica I	(149)	492
OHWI, J.: An account of the tribe <i>Eragrostis</i> of Japan I	(149)	493
OIKAWA, K.: Diploidisation and fruit-body formation in the Hymeno- mycetes	(26)	87
OIKAWA, K.: The embryo-sac of <i>Erythronium japonicum</i>	(110)	369
OKA, H.: Interspecific hybridization in <i>Nicotiana</i> . Breeding of the nicotin-free tobacco by hybridization <i>Nicotiana tabacum</i> × <i>N. glauca</i>	(67)	226
OKABE, Y.: Growth-promoting and growth-inhibiting substances in the petiole	(110)	370
OKABE, Y.: On the distribution of growth-promoting and growth- inhibiting substances in <i>Morus alba</i> L. and <i>Cassia occidentalis</i> L.	(111)	371
OKABE, Y.: On the detection method of growth-inhibiting substance...	(150)	494
OKADA, Y. (ônosuke): Les lichens embrassent-ils l' <i>Azotobacter</i> ?	(27)	88
OKADA, Y. (ônosuke): Studies on the microorganisms of "tengu-no- mugimesi" (masses of gelatinous microbes). I. The kinds and		

	Page	Entry
the population of the microbes found in "tengu-no-mugimesi"....	(27)	89
OKADA, Y.(onosuke): On the Cyanophyceae in the hot springs of Sukanoyu in Mt. Hakkôda	(27)	90
OKADA, Y.(oshikazu): On a new <i>Prasiola</i> from Corea	(28)	91
OKUNO, H.: Notes on diatoms of Japan	(67)	227
OKUNO, S.: Chromosome number in the genus <i>Carex</i>	(28)	92
OKUNO, S.: On the chromosome number in the genus <i>Carex</i>	(111)	372
OKUNUKI, K.: Ueber den Gaswechsel der Pollen II	(28)	93
OKUNUKI, K.: Ueber den Gaswechsel der Pollen III. Weitere Untersuchungen über die Dehydrasen aus den Pollenkörnern	(29)	94
OKUNUKI, K. und YAKUSHIJL, E.: Ueber die Rolle der Diaphorase in der Wechselwirkung zwischen dem Cytochrom b und dem Dehydrasesystem	(67)	228
OKURA, E.: Diploid F ₁ hybrids produced from the cross tetraploid and diploid race in <i>Oryza sativa</i> L. (Preliminary note).....	(112)	373
ONO, H.: Intergeneric hybridization in Cichoraceae V. Variation in karyotypes and fertility in <i>Crepidiastrixeris denticulato-platyphylla</i>	(150)	495
ONO, T.: Induced polyploidy in some dioecious plants.—Polyploidy and sex determination in <i>Melandrium</i> . Colchicine-induced polyploids of <i>Melandrium album</i>	(29)	95
ONO, T.: Vorkommen der triploiden Intersexe bei <i>Humulus japonicus</i> ..	(67)	229
ONO, T.: Experiments on chromosome doubling by acenaphthene treatment	(67)	230
ONO, T.: Polyploid and sex determination in <i>Melandrium</i> II. The effect of polyploidy upon sex in <i>M. album</i>	(68)	231
ONO, T.: The effects of polyploidy upon morphological and physiological characters in <i>Pisum sativum</i>	(112)	374
ONO, T.: Colchicine-induced polyploids of <i>Pisum sativum</i>	(112)	375
ONO, T.: Polyploidy and sex determination in <i>Melandrium</i> III. Intersexes in <i>M. album</i>	(113)	376
ONO, T.: Die Geschlechtstypen und ihre Vererbungsverhältnisse bei <i>Rumex hastatus</i>	(113)	377
ONO, T.: Sex behaviour of triploid intersexes in <i>Humulus japonicus</i> ..	(150)	496
RÄSÄNEN, V.: Lichenes ab A. YASUDA et alliis in Japonia collecti (I)–(II)	(68)	232
SAKAI, K.: A cytological examination of the decreasing fertility of cultivated rice in Northern Japan	(29)	96
SAKAI, K.: Chromosome studies in <i>Oryza sativa</i> L. II. An unexpected asynapsis of the pollen mother-cell chromosomes	(113)	378
SAKAI, K.: Periodozität der Mitosen in der Wurzelspitze verschiedener Kulturpflanzen	(151)	497
SAKAMOTO, M.: On the facilitated infection of the rice blast fungus, <i>Pyricularia oryza</i> CAV. due to the wind. I.	(113)	379
SAKAMURA, T.: Ueber die Ammoniak- und Nitrataufnahme bei <i>Aspergillus oryzae</i> , mit besonderer Rücksicht auf die Wirkung einiger Schwermetalle und Zuckerarten	(151)	498
SAKURAI, K.(yuichi): Beobachtungen über japanische Moosflora XX–XXIV	(30),(68),(152)	97, 233, 499
SAKURAI, K.(yuya): Vitamin B ₁ - Synthese bei Mikroorganismen II–III. Ueber die Schimmelpilze II–III	(69)	234
SANO, M. und TAGUCHI, R.: Ueber die Veränderung des Trockensubstanz- und Wassergehaltes durch Kurztagbehandlung bei <i>Impatiens Balsamina</i>	(152)	500

	Page	Entry
SATAKE, Y.: Trivial notes on the Japanese plants (VI)	(30)	98
SATAKE, Y.: Fragmentary news from the Herbarium of the Tôkyô Science Museum (I)	(114)	380
SATAKE, Y.: A list of Mongolian plants collected by Mr. H. AZUMA in 1937	(114)	381
SATAKE, Y.: A revision of the Japanese <i>Eriocaulon</i>	(114)	382
SATAKE, Y.: Eriocaulaceae	(152)	501
SATÔ, D.: Cytogenetic studies on <i>Tricyrtis</i> . II. Karyotype analysis in <i>Tricyrtis</i> and <i>Brachycyrtis</i> with special reference to SAT- and nucleolar chromosome	(30)	99
SATÔ, M. (M.M.): East Asiatic lichens (I)-(V)	(31), (69), (114), (153)	100, 235, 383, 504
SATÔ, M.: Parmeliales (I)	(152)	502
SATÔ, M.: Cladoniales (I)	(153)	503
SAWADA, K.: Materials of Formosan fungi (4)	(153)	505
SEGAWA, S.: Systematic anatomy of the articulated corallines (I)....	(70)	236
SEGAWA, S.: Systematic anatomy of the articulated corallines (II). <i>Amphiroa misakiensis</i> YENDO	(114)	384
SEGAWA, S.: Systematic anatomy of the articulated corallines (III). <i>Amphiroa aberrans</i> YENDO.—(IV) <i>Amphiroa crassissima</i> YENDO.— (V) <i>Amphiroa cretacea</i> (POSTELS et RUPRECHT) ENDLICHER	(153)	507
SEGAWA, S.: New or noteworthy algae from Izu	(153)	506
SHIBUTANI, T.: A census of fibre plants in Formosa	(114)	385
SHIBUYA, T.: The occurrence of fasciation in flax stem in relation to the environment	(31)	101
SHIMAMURA, T.: Studies on the effect of the centrifugal force upon nuclear division. (K. FUJII et al, On the mechanism of nuclear division and chromosome arrangement VI)	(115)	386
SHIMAMURA, T.: Note on the archegonium of <i>Tsuga diversifolia</i> MAST.	(154)	508
*SIGENAGA, M.: Artificial uncoiling of the chromonema spirals with neutral salt solution	(31)	102
SIMURA, T.: Studien über die Frostwiderstandsfähigkeit der Teepflanzen SIMURA, T.: Further studies on the resistance to brown blight in tea plant	(115) (116)	387 388
SINKE, N.: Experimental studies of cell-nuclei	(31)	103
SINOTÔ, Y. and SATÔ, D.: Basikaryotype and its analysis	(70)	237
SINOTÔ, Y. and A. YUASA, A.: The cytomorphological effects of halogens and halogen-salts on plant cells	(70)	238
SINOTÔ, Y. and YUASA, A.: Karyological studies in <i>Saccharomyces cere-</i> <i>visiae</i>	(154)	509
SISA, M.: On the starch pollen	(154)	510
SOYANO, Y.: Physiological and cytological relations between colchicine and heteroauxine	(70)	239
SOYANO, Y.: On the hypertrophy in the root induced by several che- micals	(71)	240
SOYANO, Y.: Physiological and cytological effects of auramin upon roots	(71)	241
*SUGAWARA, T.: Inducing the flowering and the fruiting of sweet potato by water culture	(32)	104
*SUGAWARA, T.: Studies on the formation of ascorbic acid (vitamin C) 3. Relation between the accumulation of ascorbic acid and the carbohydrate content in plants	(116)	389
*SUGAWARA, T.: Studies on the formation of ascorbic acid (vitamin C) in plants 4. Daily variation of ascorbic acid content and the con-		

	Page	Entry
centration of carbohydrate in the leaves of plants	(155)	512
*SUGAWARA, T.: Untersuchungen über den Ascorbinsäuregehalt verschiedener Apfelsorten	(155)	511
SUGIHARA, Y.: Embryological observations on <i>Thuyopsis dolabrata</i> var. <i>Hondai</i> MAKINO	(32)	105
SUGIHARA, Y.: On the multipartite chromosome ring in <i>Cephalotaxus drupacea</i> SIEB. et ZUCC.	(71)	242
SUGIHARA, Y.: The embryogeny of <i>Cunninghamia lanceolata</i> HOOKER.	(155)	513
SUGIURA, T.: Chromosome numbers in <i>Plumbaginaceae</i>	(33)	106
SUGIURA, T.: Studies in the chromosome numbers in higher plants III-V	(33), (71)	107, 244
SUGIURA, T.: A list of chromosome numbers in angiospermous plants IV, VII	(71), (155)	243, 514
SUGIURA, T.: Chromosome studies on <i>Papaveraceae</i> with special reference to the phylogeny	(72)	245
SUITA, N.: Studies on the male gametophyte in Angiosperms VI. Abnormalities in the pollen development of some <i>Crinum</i> species.	(33)	108
SUTO, T.: Meiotic chromosomes in <i>Populus nigra</i> and <i>Toisusu cardiphylla</i>	(116)	390
SUZUKI, E.: Cytological observations on some sugar cane varieties....	(116)	391
SUZUKI, H.(ashio): On the relation between the difference of susceptibility of rice towards blast disease and the invasion of host body.	(116)	392
SUZUKI, H.(ashio): Relation between the resistance of the internodes in the panicle neck of rice plant against blast disease and their anatomical structure	(117)	393
*SUZUKI, H.(ashio): Influence of physical and chemical factors upon the formation of appressoria in the conidia of <i>Piricularia Oryzae</i> II. Influence of temperature	(156)	515
SUZUKI, H.(yôzi): Ecological studies of peat bog IV. <i>Sphagnum</i> species on Mt. Hakkôda	(156)	516
SUZUKI-T.: <i>Hymenophyllum holochilum</i> O. CHR. and <i>H. oligosum</i> MAK., new to the flora of Taiwan	(33)	109
SUZUKI-T.: <i>Hymenophyllum blandum</i> RACIBORSKI, new to the flora of Taiwan	(117)	394
SUZUKI-T.: <i>Scleroglossum pusillum</i> v. A. v. ROSENB.	(118)	395
TAGAWA, M.: Spicilegium pteridographiae Asiae Orientalis XIX-XX.	(34)	110
TAGAWA, M.: Studies in Formosan ferns 1-3	(72), (118)	246, 397..
TAGAWA, M.: <i>Polystichum</i> of Japan, Korea and Formosa	(118)	396
*TAGAWA, M.: <i>Lycopodium subinundatum</i> TAGAWA, a new species from Japan	(156)	517
TAGUCHI, R.: Untersuchungen über die jahreszeitliche Aenderung des Wasser- und Reservestoffgehaltes der Stengel und Wurzeln von Maulbeerbaum	(34)	111
TAHARA, M.: The gametophytes, fertilization and polyembryo of <i>Sciadopitys verticillata</i>	(72)	247
TAHARA, M.: The development of the conceptacle of <i>Sargassum</i>	(73)	248
TAHARA, M.: On the development of the conceptacle of <i>Sargassum</i> , <i>Coccophora</i> and <i>Cystophyllum</i>	(118)	398
TAHARA, M.: Embryogeny of <i>Torreya nucifera</i> S. et Z.	(119)	399
TAHARA, M.: Embryogeny of <i>Podocarpus Nagi</i>	(119)	400
TAHARA, M.: Further studies of the conceptacle development of <i>Sargassum</i>	(156)	518
TAHARA, M.: Embryogeny of <i>Podocarpus macrophyllum</i> and <i>Podocarpus Nagi</i>	(156)	519

	Page	Entry
TAKAGI, I.: The effect of temperature and the light conditions upon the germination of mulberry seed	(73)	249
TAKAHASI, N. and OSUMI, T.: On the inheritance of the stem and fruit in <i>Panax Ginseng</i> C. A. MEYER	(119)	401
TAKAMINE, N.: On the plasmolysis form in <i>Allium cepa</i> with special reference to the influence of potassium ion upon it	(74)	250
TAKAMINE, N.: Studies on the influence of ultraviolet rays on the cytoplasm, tested by the plasmolysis method	(74)	251
TAKENAKA, Y.: On the meiosis of <i>Rumex acetosa</i> L. treated with colchicine	(34)	112
TAKENAKA, Y.: On the meiosis of <i>Rumex acetosa</i> L. treated with colchicine	(75)	252
TAKENAKA, Y.: Further reports of cytological and genetical investigations of <i>Rumex acetosa</i> L. IV. On the offspring of a diploid intersexual plant containing chromosome fragments	(157)	520
TAKIZAWA, S.: Chromosome studies in the genus <i>Acer</i> L. (A preliminary note)	(75)	253
TAMAI, T. and KÔKETSU, R.: Anwendung der Pulvermethode zur Untersuchung über die Veränderung der Verteilung des Stoffgehaltes im Blatt von <i>Bryophyllum calycinum</i>	(34)	113
TAMAI, T. and TAKENOUCI, M.: Beziehung zwischen den Pflanzenvereinen der Sanddüne und den wesentlichen Elementen des Bodens bei Niimiyahama in der Hukuoka Präfektur	(120)	402
TAMIYA, H. und USAMI, S.: Ueber das Wachstum von <i>Aspergillus oryzae</i> bei Zugabe der Aminosäuren als alleinige Kohlenstoff- und Stickstoffquelle	(75)	254
TANAKA, I.: <i>Phytophthora macrospora</i> (SACC.) S. ITO et I. TANAKA on wheat plant	(120)	403
TANAKA, N.: Chromosome studies in Cyperaceae, IV. Chromosome number of <i>Carex</i> species.	(35)	114
TANAKA, N.: Chromosome studies in Cyperaceae, VI. Pollen development and additional evidence for the compound chromosome in <i>Scirpus lacustris</i> L.	(76)	255
TANAKA, N.: Chromosome studies in Cyperaceae, VII. Chromosome number and pollen development of <i>Fimbristylis</i>	(35)	115
TANAKA, N.: Chromosome studies in Cyperaceae, VIII. Meiosis in diploid and tetraploid forms of <i>Carex siderosticta</i> HANCE.—IX. Structural hybridity observed in meiosis of <i>Carex lanceolata</i> BOOTT.—X. Aneuploid plant of <i>Carex multifolia</i> OHWI.—*XI. Meiosis in <i>Carex duvaliana</i>	(121)	404
TANAKA, N.: Chromosome studies in Cyperaceae, XI. Pollen development in five genera with special reference to <i>Rhynchospora</i>	(157)	521
TANAKA, N.: Chromosome studies in Cyperaceae, XV. Aneuploid plant of <i>Carex macroglossa</i> FR. et SAV. and <i>C. parviflora</i> BOOTT.	(157)	522
TANAKA, T.: The genus <i>Hypnea</i> from Japan	(158)	523
TASUGI, H. and IKEDA, Y.: <i>Phytophthora</i> blight of <i>Hibiscus Manihot</i>	(35)	116
TASUGI, H. and SHINO, H.: Damping-off of seedlings in China <i>Aster</i> and <i>Zinnia</i>	(121)	405
TATEBE, T.: On the inheritance of color in <i>Solanum Melongena</i> LINN... ..	(35)	117
TATEWAKI, M.: Forest flora of the Island of Etorohu, South Kuriles... ..	(158)	524
TATUNO, S.: Weitere Untersuchungen über die Polyploidie und geographische Verbreitung bei <i>Dumortiera hirsuta</i> I-II	(36)	118

	Page	Entry
TATUNO, S.: Zytologische Untersuchungen über die Lebermoose von Japan	(158)	525
TAZAKI, T.: On the nature of recreation from <i>Colocasia antiquorum</i> var. <i>esculenta</i>	(36)	119
TERAO, H.: Physiological studies on the rice plant with special reference to the crop failure caused by the occurrence of unseasonable low temperature. (I) The scope and experimental method of the studies.—TERAO, H., OTANI, Y., SIRAKI, M. and YAMASAKI, M. (II) Panicles affected by low temperature at different stages of their differentiation.—TERAO, H., OTANI, Y., DOI, Y. and TYO, Z.: (III) On the impotency of pollen and pistils under low temperature.—TERAO, H., KONDO, Y., DOI, Y. and IZUMI, S.: (IV) Varietal differences of rice in regard to the anthesis and fertilization under low temperature.—TERAO, H., OTANI, Y. and DOI, Y.: Anthesis and fertilization as affected by the low temperature treatment on heading.—TERAO, H., OTANI, Y., DOI, Y., TYO, Z. and HUIZWARA, T.: (VI) Fertilization in the spikelets subjected to the low temperature treatment after flowering.—MIRUI, S.: (VII) Photosynthetic efficiency of rice varieties	(122)	406
TERUI, M.: Internal formation of conidia of the rice blast disease	(123)	407
TOCHINAI, Y. and NAKANO, T.: Studies on the synthetic nutrient solution suitable for the mycelial growth of <i>Piricularia Oryzae</i>	(123)	408
TOGASHI, K. and MAKI, Y.: New species of parasitic fungi II	(123)	409
TOKUDA, S.: On the purple sulphur bacteria and the purple athio-bacteria found in some brackish water lakes in Japan	(123)	410
TOKUMOTO, N.: Polyploidy and secondary pairing in the genus <i>Veratrum</i>	(124)	411
TOYOHUKU, T.: The direction of coiling of the chromonema in <i>Tradescantia</i>	(37)	120
TOYOMURA, S. and YOSIOKA, S.: Ueber den Einfluss der Beleuchtungsverhältnisse auf das Bewurzeln der Stecklinge grüner Pflanzen..	(37)	121
TSUDA, M.: Studies on the osmotic concentration and NaCl content of some seashore plants	(159)	526
TUYAMA, T.: On <i>Santalum boninense</i> and the distribution of the species of <i>Santalum</i>	(37)	122
TUYAMA, T.: Fragmenta florae micronesiae	(77)	256
TUYAMA, T.: On genus <i>Haloragis</i> and Micronesian species	(77)	257
TUYAMA, T.: Orchidaceae novae micronesicae, II-IV	(124)	412
TUYAMA, T.: A new orchidaceous plant from Taiwan	(124)	413
TUYAMA, T.: On genus <i>Melampyrum</i> of Japan	(159)	527
UCHIDA, K. und KÔKETSU, R.: Sukkulenzgrad der pflanzlichen Organe und Pulvermethode	(37)	123
UCHIKAWA, I.: Genetic and cytological studies of speltoid wheat II. Origin of speltoid wheat	(159)	528
UYEKI, H.: On the northern limit of broad-leaved evergreens in Corea..	(160)	529
WADA, B.: Experimentelle Untersuchungen lebender Zellen in Teilung IV. Die Einwirkung des Dampfgemisches von Ammonia und Chloroform auf die Mitose bei <i>Tradescantia</i> -Haarzellen	(38)	124
WADA, B.: On the spindle figure of the somatic mitosis in the prothallium cell of <i>Osmunda japonica</i> THUNB. in vivo. (A preliminary report)	(77)	258
WADA, B.: Lebendbeobachtungen über die Einwirkung des Colchicins auf Mitose, besonders über die Frage der Spindelfiguren.....	(124)	414

	Page	Entry
WADA, B.: Ueber die Spindelfigur bei der somatischen Mitose der Prothalliumzellen von <i>Osmunda japonica</i> THUNB. in vivo	(161)	530
WATANABE, K.: Die Chromosomenzahl der Süsskartoffel (<i>Ipomoea Batatas</i>) und der ihr verwandten Pflanzen, welche in Japan wildwachsend oder kultiviert sind	(38)	125
WATANABE, K.: Ueber die Blüten der Süsskartoffel (<i>Ipomoea Batatas</i>) ..	(38)	126
WATANABE, T.: On the influence of hydrogen ion concentration on the development of the atrophic fire-blight disease of the udo salad plant	(125)	415
WATARI, S.: Anatomical studies on the leaves of some saxifragaceous plants, with special reference to the vascular system.....	(125)	416
WATARI, S.: Notes on the crystals in the leaves of saxifragaceous plants (I)-(II)	(161)	531
YABUTA, T., SUMIKI, Y. und HAYASI, T.: Biochemische Untersuchungen über die Bakanae-Krankheit der Reispflanzen. Ueber die Krystalle der die Uebersverlängerung der Reissämmlinge veranlassenden Substanz, "Gibberellin"	(39)	127
YAGI, S. and YONEDA, Y.: A new species of fresh-water Rhodophyceae, <i>Nemalion tortuosa</i> nov. sp.	(77)	259
YAKUSHIJI, E.: Untersuchungen über die Peroxydase	(39)	128
YAKUSHIJI, E. und OKUNUKI, K.: Ueber eine neue Cytochromkomponente und ihre Funktion	(77)	260
YAMADA, I. and SUZUKI, E.: The behaviour of tetravalent chromosomes and its bearing on sterility in <i>Aegilops Heldreichii</i> × <i>Ae. comosa</i> and its offspring	(162)	532
YAMADA, Y.: Species of <i>Caulerpa</i> in South Sea Islands	(125)	417
YAMADA, Y.: Notes on some Japanese algae IX	(162)	533
YAMADA, Y. and KANDA, T.: On the culture experiments of <i>Monostroma zostericola</i> and <i>Enteromorpha nana</i> var. <i>minima</i>	(162)	534
YAMAGATA, S.: Ueber die Nitratreduktase und die "Nitritreduktase", ein neues Enzym von <i>Bacillus pyocyanus</i> . Untersuchungen über die biologischen Reduktionen II	(40)	129
YAMAGUCHI, S.: Ueber die Wasseraufnahme und die Keimung von Esosfichten in verschiedenen Medien, insbesondere über die spezifische Permeabilität von Harnstoff und Glyzerin	(163)	535
YAMAGUTI, Y.: Ueber die Vererbung der anomalen Blütenform "Tomoe" bei <i>Portulaca grandiflora</i>	(40)	130
YAMAGUTI, Y.: Ueber einige Anomalien bei <i>Portulaca grandiflora</i>	(126)	418
YAMAHA, G. und ARAKI, Z.: Ueber die Wirkung des Saponins auf die <i>Spirogyra</i> -Zellen	(40)	131
YAMAHA, G., ARAKI, Z. und UEDA, R.: Ueber die Wirkung einiger oberflächenaktiver Substanzen auf die <i>Spirogyra</i> -Zellen	(41)	132
YAMAHA, G. und SUITA, N.: Ueber die Wirkung verschiedener Pufferlösungen auf die <i>Spirogyra</i> -Zellen	(78)	261
YAMAKAWA, T. and NAKAMURA, M.: Plant communities developed on the lava flow of Sakurazima	(78)	262
YAMAMOTO, W.: On a brown sooty mold, <i>Phaeosaccardionula javanica</i> (ZIMM.) comb. nov. on persimmon	(126)	419
YAMAMOTO, Y. (oshimatsu): Materials for a flora of the Southern Asia, including Formosa, Ryūkyū, South China, Malay Archipelago and others. I, III	(41), (126)	133, 420
YAMAMOTO, Y. (ukio): Varietal hybrids in Japanese sake yeast	(42)	134

	Page	Entry
YAMAMOTO, Y.(ukio): Genetical investigations on <i>Saccharomyces</i> I. Segregations in <i>Saccharomyces Sake</i> YABE	(42)	135
YAMAMOTO, Y.(ukio): On some new yeast types produced by hybridization	(126)	421
YAMAMOTO, Y.(ukio): An intergeneric hybrid in <i>Saccharomyces</i> . <i>Zygosaccharomyces saké</i> TAKAHASHI \times <i>Saccharomyces shaoshing</i> TAKAHASHI	(79)	263
YAMANE, G.: Ueber den positiven und negativen Phototropismus von Laubblättern der <i>Fatsia japonica</i> im Zusammenhang mit den Wuchsstoffen	(79)	264
*YAMANE, G.: Untersuchungen über die vertikalen phototropischen Bewegungen der Laubblätter von <i>Fatsia japonica</i> vom Standpunkt der Wuchsstofflehre	(164)	536
YAMASAKI, M. and ARIKADO, H.: Zellsaftkonzentration und Widerstandsfähigkeit gegen <i>Aphis gossypii</i> beim Zuckerrohr	(42)	136
YAMASAKI, M. and MORIYA, A.: Polyploidy and the size of stomata in the sugar-cane	(43)	137
YAMASAKI, M., NAKAMURA, M. and MORIYA, A.: Polyploid kowliang (<i>Andropogon sorghum</i>) induced by colchicine	(79)	265
YAMASAKI, Y.: Studies on the transplantation of embryos in the Gramineae I. Method of transplantation	(127)	422
YAMASAKI, Y.: Studies on the experimental production of fasciation in buckwheat by the treatment with heteroauxine solution	(127)	423
YAMASHITA, K.: Cotton plants treated with colchicine	(127)	424
YAMASHITA, T.: Ueber den osmotischen Wert und das spezifische Pulvergewicht als Mittel zum Vergleich des Sukkulenzgrades der Pflanzen	(127)	425
YASUDA, S.: An experiment concerning the problem of seed setting by means of bud pollination in self-incompatible <i>Petunia violacea</i> ...	(43)	138
YASUDA, S.: Parthenocarpy induced by stimulation of pollination in some higher plants	(43)	139
YASUI, K.: On dominant lethal gene (L) causing partial sterility in <i>Hosta plantaginea</i> . ASCHERS. and on a hybrid of <i>H. plantaginea</i> and <i>H. plantaginea</i> var. <i>japonica</i> KIKUCHI et F. MAEKAWA	(44)	140
YASUI, K.: Karyological studies on <i>Iris japonica</i> THUNB. and its allies..	(44)	141
YASUI, K.: Cytogenetic studies in artificially raised interspecific hybrids of <i>Papaver</i> VIII. F_1 plants of <i>P. bracteata</i> \times <i>P. lateritium</i>	(164)	537
YASUI, K.: Cytogenetic studies in artificially raised interspecific hybrids of <i>Papaver</i> IX. On the bivalent-associations in the meiosis of the PMC of <i>Papaver somniferum</i>	(80)	266
YASUI, K. and SAWADA, N.: On the spore and embryo-sac formation with special reference to the sterility of <i>Iris japonica</i> THUNB. ..	(80)	267
YASUI, K. and SAWADA, N.: On the capsule formation, a rare case, with special reference to the sterility in <i>Iris japonica</i> THUNB.	(80)	268
YASUI, K. and SUITA, N.: A note on the refractive granules in the microspore mother-cell and the microspore of <i>Tradescantia</i>	(44)	142
YONEDA, Y.: Studies on the thermal algae of Hokkaidô (2)-(3)..(45),(128)143, 426		
YONEDA, Y.: Cyanophyceae of Japan V-VI	(80),(164)	269, 538
YOSHIDA, T.: Chemical studies on the ether-soluble constituents of mulberry leaves. Part II. Chloroplast pigment	(164)	539
YOSHII, H.: Studies on the nature of rice blast resistance I. The effect of silicic acid to the resistance.—II. The effect of combined use of silicic acid and nitrogenous manure to the toughness of leaf-		

	Page	Entry
blade of rice and its resistance to rice blast.—III. Relation between rice blast resistance and some physical and chemical properties of the different portions of the leafblade of rice.....	(165)	540
YOSHII, Y., YOSIOKA, K. and IWATA, E.: Ecological studies on the vegetation of pasture. 1. Semi-natural pasture of Mt. Hakkôda.		
2. Pasture forest on Mt. Hakkôda	(80)	270
YOSHII, Y. and YOSIOKA, K.: Plant associations in "Yakebasiri" in Mt. Iwate	(128)	427
YOSHII, Y. and YOSIOKA, K.: Ecological studies of the peat bog (1). The peat bogs of Akamizusawa	(128)	428
YOSHII, Y. and YOSIOKA, E.: Ecological studies on the vegetation of pasture. Tasiro Pasture in Mt. Hakkôda	(165)	541
YOSHIMURA, F.: On the spore formation within the culture solution in some <i>Aspergilli</i>	(45)	144
YOSHIMURA, F.: On the minimum concentration of manganese necessary for the growth of Lemnaceae plants	(166)	542
YOSIOKA, K.: Ecological studies of "Nemagaritake" (dwarf bamboo) ..	(45)	145
*YUASA, A.: Studies in the cytology of Pteridophyta XVIII. The structure of the chloroplast of some pteridophytic plants.....	(46)	146
YUASA, A.: Studies in the cytology of Pteridophyta. XIX. The structure of the chloroplast of some pteridophytic plants observed on fixed and stained materials	(81)	271
YUASA, A.: Studies in the cytology of Pteridophyta XX. The process of the formation of starch grains in the chloroplast	(129)	429
YUASA, A.: Studies on the cytology of Pteridophyta XVIII. Spiral structure of the spermatozoid nucleus	(166)	543
YUASA, A.: Studies in the cytology of Pteridophyta XXI. On the spermatozoid and spermatoteleosis of <i>Isoetes japonica</i>	(167)	545
YUASA, A.: Pyrenoid division in <i>Prasiola japonica</i>	(81)	272
YUASA, A.: Chromonemata in the life cycle of two pteridophytic plants.	(167)	544

DATE OF PUBLICATION

- Transactions** —1-146, October 20, 1940; 147-236, March 31, 1941; 237-383, September 18, 1941; 385-478, December 31, 1941.
- Abstracts** —(1)-(46), October 20, 1940; (47)-(81), March 31, 1941; (83)-(129), September 18, 1941; (131)-(167), December 31, 1941.

ERRATA in Vol. X, No. 4

P. 353.—Tables 9 and 10 should be corrected as follows:

TABLE 9. Growth rate of diploids and tetraploids in *N. Tabacum* var. *Kokubu* (plant height in cm).

	June 6	13	20	29	July 6
Diploid	42.1	75.5	118.5	199.6	—
Tetraploid	23.7	37.3	58.1	108.3	165.6

Averag of five plants.

TABLE 10. Size of the largest leaf in diploids and tetraploids in *N. Tabacum* var. *Kokubu* (cm).

	June 6		13		20		29		July 6		13		Ratio		Index
	Length	Breadth	Length	Breadth	Length	Breadth	Length	Breadth	Length	Breadth	Length	Breadth	Length	Breadth	
Diploid	30.0	27.4	32.5	29.6	33.8	30.3	34.9	30.8	35.8	32.6	36.6	33.6	100	100	1.08
Tetraploid	23.2	21.6	27.1	23.6	29.5	23.1	29.9	24.3	33.0	26.5	34.6	26.5	94	78	1.30

Average of five plants.

Seite	Zeile		lies	statt
	v. oben	v. unten		
390	1		erste	er te
415		6 (Anm. 1) G	Glukose	Glukose ?
431		6 (Anm. 1)	(alt!)	(alt-)
436	5		;	:
437		4	des Pilzes beru-	des Pilzes, beru-
438	10		Base-	Base
"		12 (Anm. 1)	Eiweissaufbau	Eiweissaufbaus
439	11		ausscheidet,	, ausscheidet,
444		8 (Anm. 1)	dort	der Pilz
454		10	(Lexicon)	(Lexton)
(31)	11		Lehm-	Lehm
(33)	14		Aufblühen	Aufblünen
"	20		Behandlung	Behamlung
"		15	Dunkel	Dunk l
(34)		24	Jod	Joh
(35)		4	<i>Sassafras</i>	<i>Sassfras</i>
(36)		12	temperature	temperatur
(39)	20		fruits	f uits
(42)		19	culture	cult re
(43)		21	résumé	réslme
(45)		15	zusammengesetzten	zusammengestzten
(47)	27		zweite	sweite
(54)		10	contains	containing
(55)	21		das	des
(58)		16	résumé	réesme
(63)	22		decapitation	dec p iation
"	27		thickened	thickend
"		8	loosened	loosend
(64)	8 }		colchicine	colcine
(68)	12 }		formation	formaion
(75)	25 }		lamella	lamelle
(76)	5	10	distinct	district

